# BALBHARATI PUBLIC SCHOOL SAMPLE PAPER MARKING SCHEME- 2020-21

## NFORMATICS PRACTICES (065) / XII

- 1. Please check that this question paper contains \_\_ printed pages.
- 2. Code number given on the right hand side of the question paper should be written on the title page of the answer book by the candidate.
- 3. Please check that this question paper contains 40 questions.
- 4. Please write down the serial number of the question before attempting it.
- 5. 15 minutes time has been allotted to read this question paper. The question paper will be distributed at 10.00 a.m. From 10.00 a.m. to 10.15 a.m., the student will read the question paper only and will not write any answer on the answer script during this period.
- 6. Do all the parts of same questions together.
- 7. Programming language Python
- 8. Database-MySQL
- 9. This question paper contains two parts A and B. Each part is compulsory.
- 10. Both Part A and Part B have choices.
- 11. Part-A has 2 sections:
  - a. Section I is short answer questions, to be answered in one word or one line.
  - b. Section II has two case studies questions. Each case study has 4 case-based subparts. An examinee is to attempt any 4 out of the 5 subparts.
- 12. Part B is Descriptive Paper.
- 13. Part- B has three sections
  - a. Section-I is short answer questions of 2 marks each in which two questions have internal options.
  - b. Section-II is long answer questions of 3 marks each in which two questions have internal options.
  - c. Section-III is very long answer questions of 5 marks each in which one question has internal option

Maximum Marks-70

Time Allowed -3 hour

	PART A	
	SECTION I	
	Attempt any 15 questions from questions 1 to 21	
Q.No		Marks
1	State True or False.	1
	(i) Copying content from the website is always safe.	
	(ii) OSS software enables a person to contribute to further development of	
	the program.	
	ANS: (i) False (ii) True (0.5 marks each correct answer)	
2	Pyplot's function is used to create line charts and argument of	1
	legend() provides the location of legend.	
	Ans - plot(), loc (0.5 marks each correct answer)	
3	What will be the output of	1
	(i) SELECT ROUND (89012.556, -3)	
	(ii) SELECT SUBSTR("90654312.0000543",7,2)	
	Ans: (i) 890 (ii) 12 (0.5 mark for each correct answer)	
4	To display the 3 <sup>rd</sup> , 4 <sup>th</sup> and 5 <sup>th</sup> columns from 6 <sup>th</sup> to 9 <sup>th</sup> rows of a dataframe DF,	1
	you can write	
	Choose the correct option.	
	i. DF.loc[6:9,3:5]	
	ii. DF.iloc[6:10,3:6]	
	iii. DF.loc[6:10,3:6]	
	iv. DF.iloc[6:9,3:5]	
	Ans: ii.	
5	Give a dataframe DF as shown below:	1
	Blood group HB count	
	Alia O 12.5	
	Baby A 8	
	Chris AB 13	
	Write the single line code to add a new column RHfactor and the value of it +.	
	Ans: DF['RHfactor']='+'	
6	Which of the following statements are True?	1
	i. The title() adds title to the legends.	
	ii. Matplotlib allows us to plot nD graphs easily where n is any number.	
	iii. Visual representation of data is possible in Python.	

	iv.	Histogram can be plo	otted in Py	rthon.	
	Ans: iii	and iv ( 0.5	marks for	each correct answer)	
7	Give one	example each of Plug	ins and Ad	ld-ons software	1
	Ans : Me	et attendance and	Adobe	( 0.5 mark for each correct answer)	
8	Write the	e names of two functio	ns used to	iterate over data frames.	1
	Ans: ite	errows() and iterite	ems() (C	0.5 mark for each correct answer)	
9		is used to connect	similar net	works.	1
	Ans - Bri	idge (1 mark	for each	correct answer)	
10	In the fo	llowing URL <u>https://w</u>	ww.green_	society.com/data/first.htm	1
	i.	What is the name of	web site?		
	ii.	Is data a web page?			
	Ans - i	. green_society			
	ii	i. No			
	(	(0.5 marks each)			
11	Categori	se the following into To	ext / Num	eric functions of MySQL.	1
	i.	MID()			
	ii.	ROUND()			
	Ans: i.	Text ii. N	umeric		
	(0.5 mar	rks each)			
12	Define P	lagiarism.			1
				ng or closely imitating the language and horization and the representation of that	
	_			rediting the original author: (1 mark for	
42	each cor	rrect answer)		,	4
13		-		12. S11 contains the constant value 100	1
		-	write the	e statement to find the sum of the series	
		its output			
	Ans:	4	S2		
	0	100	0	50	
	1	100		100	
	2	100	1 2	150	
		2. The output is	<b>~</b>	150	
	0	150.0			
	1	200.0			
1					
	2	250.0			

	(0.5 marks for the statement and 0.5 for output)	
14	I belong to a Database language.	1
	I can create a folder of database.	
I	I don't allow to create duplicate folders of a database.	
	Who am I?	
	Ans: CREATE DATABASE.	
15	website displays fixed content to each visitor.	1
	Ans - Static website	
16	A mail containing attachments of more than 20 MB is sent using option.	1
	Ans: Google drive	
17	Give one technique of reducing the electronic scrap.	1
	Ans - Donate the gadget.	
	Instead of throwing the gadgets, hand over it to the authorized recycling	
	agency.	
	Instead of buying a new one every time, upgrade it.	
	( 1 mark for any correct answer)	
18	Freeware, Shareware, Adware and Malware are OSS. Do you agree with it?	1
	Ans: NO	
19	Write the MySQL function used to display the middle characters from the first name	1
	of a student.	
	Ans MID()/SUBSTR()	
20	Identify the topology shown in the image and write its name.	1
	Ans- Tree	
21	Write one example of Indian operating system	1
	Ans : BOSS	
	Section -II	
	Both the case study based questions (22 & 23 ) are compulsory. Attempt any	
	four sub parts from each question. Each sub question carries 1 mark.	
22	Consider the dataset STUDENT. Consider the name of the data frame as Sf1.	

NAME	Oxygen_	Pulse_rate	Disease_risk_level
	level		
Sarat	90	110	Medium
Mahima	93	140	Low
Ishan	95	108	Low
Dhruv	94	80	Low
Siva	93	88	Low
Pranav	96	110	Low
Samir	89	88	High
Arpita	95	90	Low
Sushma	92	140	Medium
Brinda	93	110	Low

## Answer any of the four parts out 22A to 22E.

22A	Which command will create a data frame for the above dataset? (only last three					
	rows and first two columns)					
	i.	import pandas as pd				
	Sf1=pd.DataFrame({'Name':['Brinda','Sushma','Arpita'],					
		'Oxygen_level':[93,92,95]})				
	ii.	import pandas as pd				
Sf1=pd.DataFrame({Name:['Brinda','Sushma','Arpita'],						
	Oxygen_level:[93,92,95]})					
iii. import pandas as pd						
Sf1=pd.DataFrame(['Name':['Arpita','Sushma','Brinda'],						
		'Oxygen_level':[95,92,93]])				
	iv.	import pandas as pd				
		Sf1=pd.DataFrame({'Name':['Arpita','Sushma','Brinda'],				
		'Oxygen_level':[95,92,93]})				
	Ans - iv					
22B	Write sing	gle line command to print the lowest of the Oxygen level and highest pulse	1			
	rate of all the persons.					

Ans-print(Sf1['Oxygen\_level'].min(),Sf1['Pulse\_rate'].max())

22C	Write co	ode to print	the details of High	risk pers	ons.			1
		df=Sf1[Sf1 print(df)	.Disease_risk_level==	'High']				
22D	Which co	mmand will	decrease the Pulse	rate of	all pe	ople b	by 5 ?	1
	i.	Sf1=Sf1['F	Pulse_rate']-5					
	ii.	Sf1=Sf1('F	Pulse_rate')-5					
	iii.	Sf1{'Pulse	e_rate'}=Sf1{'Pulse_	rate'}-5				
	iv.	Sf1['Pulse	e_rate']=Sf1['Pulse_	rate']-5				
	Ans-iv							
22E	i. ii. iii.	del(Sf1['N Sf1.pop('l Sf1.drop(	NAME'])		the fu	ınctior	nality of all of them.	1
23	In a data	base, there	are two tables nam	ned ITEM	MASTE	R and	CUSTOMER.	
			CU	STOMER				
	CID	CNAME	CADDRESS	CACCN	10 C	CBAL		
	20001	MRIDU	KOLKATTA	12001	1 1	450		
	20112	MOHIKA	CHANDIGARH	120014	4 8	30000		
	20145	PALLAVI	PUNE	12450 <sup>-</sup>	1 5	5000		
	20078	KANTA	JAIPUR	12001	3 2	2000		
	20011	MOKSH	GURGOAN	12002	3 6	5000		
	ITEMMASTER							
		ID	NAME		RATE		CID	
		120013	MASKS		200		20078	
		120014	SOAP		120		20001	
		124501	SANITISER		225		20145	
		120011	HEAD SHIELD		400		20112	
	<u>Answer</u> (	any of the j	four parts out 23A	to 23E		1		
23A	Complet	e SQL comn	nand that will give	the follo	wing o	utput.		1
			curre	nt baland	:e			
			80000	)				
			5000					


	2000					
	6000					
	SELECT CBAL from CUSTOMER WHERE CBA	AL;				
	Ans - SELECT CBAL "current balance" from CUSTOMER WHERE CBAL >1500;					
23B	Which SQL query will display the contents of the ITE	EMMASTER table in the 1				
	descending order of rate and ID?					
	i. SELECT * FROM ITEMMASTER ORDER BY RA	ATE, ID;				
	ii. SELECT * FROM ITEMMASTER ORDER BY ID	, RATE;				
	iii. SELECT * FROM ITEMMASTER ORDER BY RA	ATE, ID DESC;				
	iv. SELECT * FROM ITEMMASTER ORDER BY RA	ATE DESC, ID ;				
	Ans- iii					
23C	Which query will display the CNAME, CID and 10% in	creased CBAL? 1				
	i. SELECT CID, CNAME, CSTOCK*10/100 FRO	OM CUSTOMER;				
	ii. SELECT CNAME, CID, CSTOCK*1.1 FROM C	CUSTOMER;				
	iii. SELECT CID, CNAME,CSTOCK+10/100 FRC	DM CUSTOMER;				
	iv. SELECT CNAME, CID, CSTOCK*1.1/100 FR	OM CUSTOMER;				
	Ans-ii					
23D	Which command will display the average balance of	all the customers? 2				
	i. SELECT SUM(CBAL) FROM CUSTOMER;					
	ii. SELECT SUM(CBAL)/COUNT(*) FROM CUS	TOMER;				
	iii. SELECT TOTAL(CBAL) FROM CUSTOMER;					
	iv. SELECT COUNT(CBAL)/SUM(CBAL) FROM (	CUSTOMER;				
	Ans-ii					
23E	Which of the following statement/s are true?	1				
	i. SELECT is a DDL command.					
	ii. FROM is a clause.					
	iii. WHERE is used to display selected fields.					
	iv. SELECT is a DML command.					
	Ans-ii and iv					
	PART B					
	SECTION I					
24		ICHMADI E and print it. The				
24	Write python program to create a series named CON	·				
	series must have names of 5 consumable diary items	s along with its rate .				
	Ans-					
	import pandas as pd					

'Cheese-Rs120', 'Curd-Rs 40']) print(CONSUMABLE)  25 Write SQL command to display the average cost of the Apple and Pineapple fruits .  2 Consider the table FRUITS as shown below. The table has 50 tuples like this. Also write in what order, the data is displayed.  1D NAME CLASS RATE  A1 Apple EXPORT 78  M1 Mango EXPORT 87.5  G1 Grapes LOCAL 90.5  P2 Pineapple LOCAL 99   OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  26 Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters. ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS; ii. SELECT LEN(NAME) from FRUITS; iii. SELECT LEN(NAME) from FRUITS; iii. Write the command which will display the name of the companies on top four positions. ii. Write the command to name the series as cosmetics_COMPANY_RANK.		CONSUMABLE=pd.Series([data='Chocolate-Rs 25', 'Milk-Rs 50', 'Butter-Rs60',		
25 Write SQL command to display the average cost of the Apple and Pineapple fruits .  Consider the table FRUITS as shown below. The table has 50 tuples like this. Also write in what order, the data is displayed.  ID NAME CLASS RATE  A1 Apple EXPORT 78  M1 Mango EXPORT 87.5  G1 Grapes LOCAL 90.5  P2 Pineapple LOCAL 99   OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  iii. SELECT LEN(NAME) from FROM FRUITS;  iii. SELECT LEN(NAME) from FROM FRUITS;  iii. SELECT LEN(NAME) from FROM FRUITS;  iii. Write the command which will display the name of the companies on top four positions.		'Cheese-Rs120', 'Curd-Rs 40'])		
Consider the table FRUITS as shown below. The table has 50 tuples like this. Also write in what order, the data is displayed.  ID NAME CLASS RATE  A1 Apple EXPORT 78  M1 Mango EXPORT 87.5  G1 Grapes LOCAL 90.5  P2 Pineapple LOCAL 99   OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  26 Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		print(CONSUMABLE)		
write in what order, the data is displayed.  ID NAME CLASS RATE  A1 Apple EXPORT 78  M1 Mango EXPORT 87.5  G1 Grapes LOCAL 90.5  P2 Pineapple LOCAL 99   OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE', 'PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.	25	Write SQL command to display the average cost of the Apple and Pineapple fruits .	2	
ID NAME CLASS RATE  A1 Apple EXPORT 78  M1 Mango EXPORT 87.5  G1 Grapes LOCAL 90.5  P2 Pineapple LOCAL 99   OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		Consider the table FRUITS as shown below. The table has 50 tuples like this. Also		
A1 Apple EXPORT 78 M1 Mango EXPORT 87.5 G1 Grapes LOCAL 90.5 P2 Pineapple LOCAL 99  OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		write in what order, the data is displayed.		
M1 Mango EXPORT 87.5 G1 Grapes LOCAL 90.5 P2 Pineapple LOCAL 99  OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition. The data is displayed rate wise. (0.5 marks) OR LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks) Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25. i. Display the name in capital letters. ii. Display the total characters on the name Ans - i. SELECT UPPER(NAME) FROM FRUITS; ii. SELECT LEN(NAME) from FRUITS; OTHE data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS. i. Write the command which will display the name of the companies on top four positions.		ID NAME CLASS RATE		
G1 Grapes LOCAL 90.5 P2 Pineapple LOCAL 99  OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		A1 Apple EXPORT 78		
OR  Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  7 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		M1 Mango EXPORT 87.5		
Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition. The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters. ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS; ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		G1 Grapes LOCAL 90.5		
Define LIKE clause. Support your answer with an example also. Can we arrange the data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		P2 Pineapple LOCAL 99		
data of a table using multiple attributes? Give example.  Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE','PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		OR		
Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE', 'PINEAPPLE'); (0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO, MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		Define LIKE clause. Support your answer with an example also. Can we arrange the		
(0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.				
(0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.  The data is displayed rate wise. (0.5 marks)  OR  LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.				
The data is displayed rate wise. (0.5 marks) OR LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks) Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25. i. Display the name in capital letters. ii. Display the total characters on the name Ans - i. SELECT UPPER(NAME) FROM FRUITS; ii. SELECT LEN(NAME) from FRUITS; Z7 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS. i. Write the command which will display the name of the companies on top four positions.		Ans - SELECT avg(rate), from student WHERE NAME IN ('APPLE', 'PINEAPPLE');		
OR LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks) Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters. ii. Display the total characters on the name Ans -  i. SELECT UPPER(NAME) FROM FRUITS; ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		(0.5 marks for avg(), 0.5 marks for WHERE and 0.5 marks for condition.		
LIKE clause is used for specify the condition (1 marks). Any example (0.5 marks)  Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO, MARKS;  26 Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		The data is displayed rate wise. (0.5 marks)		
marks) Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO,MARKS;  26 Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		OR		
Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT ORDER BY ROLLNO, MARKS;  26 Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		LIKE clause is used for specify the condition (1 marks). Any example (0.5		
ORDER BY ROLLNO, MARKS;  Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		marks)		
26 Write the MySQL query for the following. Consider the FRUITS table shown in Q25.  i. Display the name in capital letters.  ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		Yes, we can arrange the data using multiple attributes. SELECT * FROM STUDENT		
<ol> <li>Display the name in capital letters.</li> <li>Display the total characters on the name</li> <li>SELECT UPPER(NAME) FROM FRUITS;</li> <li>SELECT LEN(NAME) from FRUITS;</li> <li>The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.</li> <li>Write the command which will display the name of the companies on top four positions.</li> </ol>		ORDER BY ROLLNO, MARKS;		
ii. Display the total characters on the name  Ans -  i. SELECT UPPER(NAME) FROM FRUITS;  ii. SELECT LEN(NAME) from FRUITS;  27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.	26	Write the MySQL query for the following. Consider the FRUITS table shown in Q25.	2	
i. SELECT UPPER(NAME) FROM FRUITS; ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS. i. Write the command which will display the name of the companies on top four positions.		i. Display the name in capital letters.		
<ul> <li>i. SELECT UPPER(NAME) FROM FRUITS;</li> <li>ii. SELECT LEN(NAME) from FRUITS;</li> <li>27 The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS.</li> <li>i. Write the command which will display the name of the companies on top four positions.</li> </ul>		ii. Display the total characters on the name		
ii. SELECT LEN(NAME) from FRUITS;  The data represents the information about cosmetics industry. Cosmetics data contains nme, rate and rank. The name of the series is COS. i. Write the command which will display the name of the companies on top four positions.		Ans -		
27 The data represents the information about cosmetics industry. Cosmetics data 2 contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		i. SELECT UPPER(NAME) FROM FRUITS;		
contains nme, rate and rank. The name of the series is COS.  i. Write the command which will display the name of the companies on top four positions.		ii. SELECT LEN(NAME) from FRUITS;		
i. Write the command which will display the name of the companies on top four positions.	27	The data represents the information about cosmetics industry. Cosmetics data	2	
four positions.		contains nme, rate and rank. The name of the series is COS.		
		i. Write the command which will display the name of the companies on top		
ii. Write the command to name the series as cosmetics_COMPANY_RANK.		four positions.		
		ii. Write the command to name the series as cosmetics_COMPANY_RANK.		

	Ans-	
	i. print(RANK[RANK<5]) (0.5 marks for print and 0.5 for RANK<5)	
	ii. RANK.name= 'COSMETICS_COMPANY_RANK' (0.5 marks for .name and	
	0.5 for ='COSMETIC_COMPANY_RANK')	
28	Differentiate between DML and DDL commands. Write one example also.	2
	Ans	
	DDL commands are used to create a table or database. They define the data.	
	DML commands are used to view / insert/ update / delete the data in a table.	
	(1 marks)	
	CRAETE DATABASE student;	
	SELECT COUNT(*) from student; (1 marks)	
29	Which MySQL function displays the name of the month and day? What is the	2
	difference between SYSDATE() and NOW()?	
	OR	
	Consider the table RANK of Q25 and write the query to display the	
	i. Display the total number of characters in name of the records where the	
	rate is above 50.	
	ii. Display the position of L in the name of all tuples.	
	Ans	
	MONTHNAME() displays the name of the month. SYSDATE() displays the	
	system date and time . NOW() displays the date and time real time basis	
	OR	
	i. SELECT LENGTH(NAME) FROM FRUITS WHERE RATE>50 (1 marks)	
	ii. SELECT INSTR(NAME,'L') FROM FRUITS; (1 marks)	
30	What are the two numeric data type of a dataframe? How NaN affects the	2
	arithmetic operation of the data frames?	
	Ans	
	Integer and Float (1 marks) On adding NaN with integer values, Python changes the data type of the resultant data frame. (1 mark)	

31		Compare Tree and Mesh topology with respect to one of the most important advantages and disadvantages. Draw diagram also.						
	Ans-	gg						
	Diagram		(1 mark)					
	TOPLOGY	ADVANTAGES	DISADVANTAGES					
	TREE	Expansion of the network is easy	Fault diagnosis is difficult					
	MESH	Each node is connected to each other	Very expensive					
			(1 mark)					
32		•	end introduced her to the world of	2				
			by these two platforms. She started	1				
	.	uch time on making friends on fac						
		th the result she lost her interest in	•					
		ends and her sister. Once her pho	-					
	became very restless. What measures do you suggest to Sindhu to reduce the							
	excessive use of digital device?							
	Ans-							
	i. Health problems arises due to excessive use of electronic device.							
		t should be controlled						
	ii. Don't use the headphones or earphones for a longer time as it can							
		se hearing problems.						
	iii. Anxiety/stress is due to digital device. Mental health problem like							
	anxiety on not being liked or waiting for comment etc.							
	2 marks for	any two correct points.						
33	Write two meas	sures to perform the online bankin	g safely.	2				
	Ans							
	i. Mus	t look for secured sites for e.g. h	ttps in the link, no personal					
	information to be sent, no online payment for unsecured sites.							
	ii. No password should be shared online							
			(1 mark each)					
		SECTION II						
34	Consider a data	frame named DF1.		3				
	a. It conta	ins names and admission numbers	of 10 students of a school.					
	b. Write a	python program to display the na	mes of first three students.					

	c. Write the statements to display the admission numbers of last two students.	
	Ans	
	import pandas as pd	
	df=pd.DataFrame({'name':['Simi','Meetu','Sneha','Krishna',	
	'Anni', 'Zaid', 'Sumit', 'Sagarika', 'Bhawya', 'Manoj'], 'admno':[1,2,3,4,5,6,7,8,9,10]})	
	Sf1=df.loc[0:4,['name']]	
	print(Sf1)	
	Sf1=df.loc[8:,['admno']]	
	print(Sf1)	
	(1 mark for defining the data frame, 1 mark for writing the statement for	
25	displaying the name and 1 mark for writing statement for displaying the mobile)	3
35	Do you think that Virtual world leaves the trails of our activities? What is it known	3
	as? How is it created?	
	OR	
	Mohan was a very good programmer and tried to hack the RBI website. He wanted	
	to show his programming skills to his friends. Mohan was caught by the police and	
	sent to jail. What is your opinion about Mohan's activity? What is this activity	
	known as? How can a person manage the virtual world?	
	Ans	
	Digital footprints are the traces or records individuals leave as they use	
	internet. (1 mark)	
	Safe footprint can be generated by acting responsibly. Behave ethically in the	
	virtual world. Before posting, one must think. No abusive comments should be	
	posted. Stalking or bullying should be avoided. (2 marks for correct	
	points)	
	OR	
	It is illegal. (0.5 marks)	
	Hacking (0.5 marks)	
	Safe footprint can be generated by acting responsibly. Behave ethically in the	
	virtual world. Before posting, one must think. No abusive comments should be	
	posted. Stalking or bullying should be avoided. Illegal activities should be	
	42 1 ( )	
	avoided. (2 marks for correct points)	
36	avoided. (2 marks for correct points)  Write Python code to draw this graph. (The data given is fictitious data).	3



### Ans

import matplotlib.pyplot as plt

x = ['Idli', 'Dosa', 'Masala Dosa', 'Uttapam', 'Vada', 'Upma']

popularity = [22.2, 17.6, 8.8, 8, 7.7, 6.7]

x\_pos = [i for i, \_ in enumerate(x)]

plt.bar(x\_pos, popularity, color='green')

plt.xlabel("Dishes")

plt.ylabel("Likes")

plt.title("PopularitY of dishes\n" )

plt.grid(which='major', linestyle='dashed', linewidth='2', color='red')

plt.legend('DISHES')

plt.show()

Based on the table MARKETS given below. (The data given is fictitious data).

ID	NAME	VISITORS	NUMBER_SHOPS
K01	KAROL BAGH	19000000	120
D05	DEFENCE COLONY	8000000	200
S55	SAROJINI NAGAR	5800000	210
V12	ROHINI	400000	100

### Write query for the following:

- i. Display the names of markets in the ascending order of visitors.
- ii. Delete the details of Rohini
- iii. Reduce the number of shops by 50 in Sarojini Nagar only.

#### Ans

i. SELECT \* FROM MARKETS ORDER BY NAME;

3

ii. DELETE FROM MARKETS WHERE ID='V12'; UPDATE MARKETS SET NUMBER\_SHOPS=NUMBER\_SHOPS-50 WHERE iii. ID='S55'; (0.5 mark to each DDL/DML command and 0.5 to each of the clauses) **SECTION III** 38 Below mentioned data is of Pass percentage of Students in various school (in %). 5 (The data given in fictitious data) 1991 School 2001 2011 90.86 NN school 80 94.00 75.29 81.67 DL school 86.21 J1 school 71.29 69.14 78.03 67.16 HH school 55.52 41.59 54.34 AN school 65.38 82.34 MK school 65.75 76.88 Write code to create a data frame for the above data. (1 mark) i. Write code to display the row wise data for all the years in the form of ii. series. (2 marks) Write code to add a row for the UT school with the any values iii. (2 marks) Ans i. import pandas as pd df=pd.DataFrame({ 'states/ut':['NN school','DL school','J1 school','HH school','AN school', 'MK school',], '1991':[80, 75.29, 71.29, '-', 41.59, 65.75], '2001':[90.86, 81.67, 69.14, 55.52, 54.34, 76.88], '2011':[94.00, 86.21, 78.03, 67.16, 65.38, 82.34]}) for (row, rowSeries) in df.iterrows(): ii. print(rowSeries) a=({'school':'UT school', '1991':81,'2001':86,'2011':92} iii.

df=df.append(a, ignore\_index=True)

# Consider the table HOSPITAL. The surgery rates are in % for the years 1991,2001 and 2011.

Name	Year1	Year2	Year3	OPD	Bed count
KU hospital	70	91	94	Yes	100
DH hospital	75	81.7	86.21	No	35
AD hospital	61.29	69.4	78.03	No	67
KK hospital	NULL	55.2	67	Yes	135
PD hospital	41.5	54	66	Yes	200
RS hospital	64.9	76.8	82.34	No	89
LP hospital	81.7	86.6	91.85	Yes	400

Write queries for (i) to (iv) and output for (v) to (vi).

- i. Display the record containing null values.
- ii. Display the names of hospital who have shown an improvement in the Year2 from Year1.
- iii. Display the number of hospitals having OPD facility.
- iv. Display the name of hospital and Year2 rounded off to 0 decimal place.
- v. SELECT SUM(Year3) from HOSPITAL WHERE bedcount < 50;
- vi. SELECT Name, MOD(Year1,1) FROM HOSPITAL ORDER BY Year1;

OR

Write the SQL functions which will perform the following operations:

- i) To display the month number and year from "2020-03-22".
- ii) To remove spaces from the string, " COVID 19 ".
- iii) To display the weekday of today.
- iv) To display the starting position of your first name(fname) from your whole name (name).
- v) To compute the remainder of division between two numbers, n1 and n2


### Ans

- i. SELECT \* FROM HOSPITAL where Year1 is NULL or Year2 is NULL or Year3 is NULL;
- ii. SELECT NAME FROM LITERACY WHERE Year2>Year1;
- iii. SELECT OPD, COUNT(\*) FROM HOSPITAL GROUP BY OPD HAVING OPD='Y';
- iv. SELECT NAME, ROUND(Year2) FROM HOSPITAL;
- v. 86.21

vi.	Name	Year1	
•	KU hospital	70	
	DH hospital	75	
	AD hospital	61.29	
	KK hospital	NULL	
	PD hospital	41.5	
	RS hospital	64.9	
	LP hospital	81.7	
	(	OR .	
i) ii) iii) iv) v)	month("2020-03-22" trim(" covid dayname(NOW()) instr(name, fname) mod(n1,n2)	'), YEAR ("2020-03 19 ")	3-22") (1 mark) (1 mark) (1 mark) (1 mark) (1 mark)

Trine Tech Corporation (TTC) is a professional consultancy company. The company is planning to set up their new offices in India with its hub at Hyderabad. As a network adviser, you have to understand their requirement and suggest them the best available solutions. Their queries are mentioned as (i) to (v) below.

## Physical locations of the blocks of TTC



## Block to block distance (in m)

Block (From)	Block (To)	Distance	
Human Resource	Conference	110	
Human Resource	Finance	40	
Conference	Finance	80	

# Expected number of computers to be in each block

Block	Computers	
Human Resource	25	
Finance	120	
Conference	90	

- 1. Which will be the most appropriate block, where TTC should plan to install their server?
- 2. Draw a block to block cable layout to connect all the buildings in the most appropriate manner for efficient communication.
- 3. What will be the best possible connectivity out of the following, you will suggest to connect the new set up of offices in Delhi with its London based office.
  - Satellite Link
  - Infrared
  - Ethernet
- 4. Which of the following device will be suggested by you to connect each computer in each of the buildings?
  - Switch
  - Modem

Gateway 5. Suggest the most suitable network topology to be setup in various blocks of Delhi office. Ans 1. TTC should install its server in finance block as it is having maximum number of computers. (1 mark) 2. (1 mark) Conference Human Resource Block Block Finance Block 2 The above layout is based on minimum cable length required, which is 120 metres in the above case. 3. Satellite (1 mark) (1 mark) 4. Switch 5. Star topology (1 mark) \*\*\*\*\*\*\*